



# Medplus Inc.

Catering For Your Specification



[www.gzmedplus.com](http://www.gzmedplus.com)



# Medplus Inc.


Medplus Inc. was founded in August 2006 and started manufacturing at the beginning of 2007 with "Permit for manufacturing medical devices" granted by Guangdong Food and Drug Administration. Our devices are manufactured in compliance with ISO13485, ISO9001 and National Medical Industry Standard. With CE& FDA,CFDA. With years of efforts, the company has become a manufacturer of medical devices with polymeric materials and taking out multiple patents on technology.

At the present our primary products are Tourniquets (Artery Compression Devices), Biopsy Needles, Suction Liner, Skin Marker, Loss Of Resistance(LOR) Syringe, Breathing Circuit, Breathing Bag, Anesthesia Mask, Endoscopy Mask, Circuit Fixity and Checkvalve etc.

As a professional manufacturer of medical devices, Medplus has formulated a clear development goal and service purpose when it was first founded. Medplus is highly recognized by clients and peer companies for its relentless entrepreneurship, professional acumen and high efficiency. The quality policy Medplus has been adhering to is "customer communication, innovation and quality guarantee". The company core values are integrity, morality responsibility and product safety.







# Radial Artery Compression Device

- ▶ Soft feel, patient comfort
- ▶ Sustained venous flow
- ▶ High transparency
- ▶ Accurate pressure
- ▶ Visible compression



T1



T2



T6

SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Toumiquet(Radial Artery Compression Device)	Type T1	010211	Type T1, used for assisting hemostasis of the radial artery after a transradial procedure.	100pcs
	Type T2	010212	Type T2,used for assisting hemostasis of the radial artery after a transradial procedure.	100pcs
	Type T6	010218	Type T6,used for assisting hemostasis of the radial artery after a transradial procedure.	120pcs

Contact us for more specifications



## Femoral Artery Compression Device

- ▶ Soft feel, patient comfort
- ▶ Sustained venous flow
- ▶ High transparency
- ▶ Accurate pressure
- ▶ Visible compression



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Femoral Artery Compression Device	Type G1	010310	Used for assisting hemostasis of the femoral artery after a transradial procedure.	100pcs

Contact us for more specifications

## Dialysis and Blood Pressure Monitor Tourniquets

- ▶ Soft feel
- ▶ High transparency




SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION
T3	T3 -S	010222	Used for assisting hemostasis of artery after blood pressure monitor.
	T3-L	010223	Used for assisting hemostasis of artery after dialysis
	Replace Pad	0102A21	Used for replacing the pad of T3-L

Contact us for more specifications

# Semiautomatic Biopsy Needle

- ▶ Light Weight Designing
- ▶ Complete Samples
- ▶ Echo-enhancement Needle point.



BN-C-2

SPECIFICATION	MODEL	Packing (carton)
Semi-automatic Biopsy Needle (BN-C-2)	14G	100pcs/CTN
	16G	100pcs/CTN
	18G	100pcs/CTN
Contact us for more specifications		



BN-G-2

SPECIFICATION	CODE NUMBER	Packing (carton)
Semi-automatic Biopsy Needle (BN-G-2)	14G	100pcs/CTN
	16G	100pcs/CTN
	18G	100pcs/CTN
Contact us for more specifications		



BN-G

SPECIFICATION	CODE NUMBER	Packing (carton)
Semi-automatic Biopsy Needle (BN-G)	14G	100pcs/CTN
	16G	100pcs/CTN
	18G	100pcs/CTN
Contact us for more specifications		

## Automatic Biopsy System

- ▶ Loading indicator
- ▶ Automatic sampling
- ▶ Echogenic marker
- ▶ Trigger site on the rear
- ▶ Easy to use and to operate
- ▶ One bottom for taking samples
- ▶ High velocity throw and strong strength



BN-Q-2C

SPECIFICATION	CODE NUMBER	Packing (carton)
Automatic Biopsy System (BN-Q-2C)	14G	100pcs/CTN
	16G	100pcs/CTN
	18G	100pcs/CTN
Contact us for more specifications		



BN-Q-2G

SPECIFICATION	CODE NUMBER	Packing (carton)
Automatic Biopsy System (BN-Q-2G)	14G	100pcs/CTN
	16G	100pcs/CTN
	18G	100pcs/CTN
Contact us for more specifications		

## Disposable Needle

- ▶ A triple ultra-sharp tip
- ▶ Atraumatic precise cutting
- ▶ Echogenic marker
- ▶ Trigger site on the rear
- ▶ 18mm penetration depth



BN-Z

SPECIFICATION	CODE NUMBER	Packing (carton)
Biopsy Needle (BN-Z)	14G	400pcs/CTN
	16G	400pcs/CTN
	18G	400pcs/CTN
Contact us for more specifications		



# Suction Liner

- ▶ Simple
- ▶ Safe
- ▶ Economical



Coagulator

SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
SUCTION LINER (SOFT BAG)	1000ml	66162110	Without filter.	50pcs
		66161110	With filter.	50pcs
		66162111	Without filter, with solidifier	50pcs
		66161111	With filter& solidifier	50pcs
	1500ml	66162210	Without filter.	50pcs
		66161210	With filter.	50pcs
		66162211	Without filter, with solidifier	50pcs
		66161211	With filter& solidifier	50pcs
	2000ml	66162310	Without filter.	50pcs
		66161310	With filter.	50pcs
		66162311	Without filter, with solidifier	50pcs
		66161311	With filter& solidifier	50pcs

Contact us for more specifications



SPECIFICATION	CODE NUMBER	DESCRIPTION
Stand	6616540	Four tandem stand with 4 canisters (a set)
	6616520	Twin tandem stand with 2 canisters (a set)
Hanger	6616521	Two tandem hanger stand
	6616511	Single hanger stand
	6616510	Single canister

Contact us for more specifications



# Skin Marker Pen

- ▶ Non-toxic
- ▶ Safety
- ▶ Resistant ink



fine tip(0.5mm) \_\_\_\_\_

regular tip(1.0mm) \_\_\_\_\_



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Regular tip	Without Ruler	010110	1.0mm line width,without ruler. Individual packing.	1000pcs
	With Ruler	010111	1.0mm line width,with a ruler. Individual packing.	1000pcs
Fine tip	Without Ruler	010120	0.5mm line width,without ruler. Individual packing.	1000pcs
	With Ruler	010121	0.5mm line width, with a ruler. Individual packing.	1000pcs
Dual-tip	Without Ruler	010150	One tip is fine tip, other tip is ruguler	1000pcs
	With Ruler	010151	One tip is fine tip, other tip is ruguler, with a ruler.	1000pcs

Contact us for more specifications

# Loss of Resistance Syringe

- ▶ Consistent resistance
- ▶ Low resistance
- ▶ Safety ensured



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Luer slip	5ml	1503105	Volume of syringe is 5ml	1000pcs
	7ml	1503107	Volume of syringe is 7ml	1000pcs
	10ml	1503110	Volume of syringe is 10ml	1000pcs
Luer lock	5ml	1503005	Volume of syringe is 5ml	1000pcs
	7ml	1503007	Volume of syringe is 7ml	1000pcs
	10ml	1503010	Volume of syringe is 10ml	1000pcs

Contact us for more specifications

# Anesthesia Mask

## Type C

- ▶ Skid resistance, easy handle
- ▶ Soft and flexible – transparent air cushion
- ▶ Standard connector
- ▶ Removable hook ring



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Anesthesia Mask (Type C)	Neonate (1#)	5401310	15mm OD, skid resistance, inflatable	30pcs
	Infant (2#)	5401320	15mm OD, skid resistance, inflatable	30pcs
	Child (3#)	5401330	22mm OD, skid resistance, inflatable	70pcs
	Small Adult (4#)	5401340	22mm OD, skid resistance, inflatable	50pcs
	Medium Adult (5#)	5401350	22mm OD, skid resistance, inflatable	50pcs
	Large Adult (6)	5401360	22mm OD, skid resistance, inflatable	50pcs

Contact us for more specifications

## Type A

- ▶ Soft and flexible – transparent air cushion
- ▶ Standard connector
- ▶ Removable hook ring



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Anesthesia Mask (Type A)	Neonate (0#)	5401100	15mm OD, inflatable	30pcs
	Infant (1#)	5401110	15mm OD, inflatable	30pcs
	Child (2#)	5401120	22mm OD, inflatable	70pcs
	Small Adult (3#)	5401130	22mm OD, inflatable	50pcs
	Medium Adult (4#)	5401140	22mm OD, inflatable	50pcs
	Large Adult (5#)	5401150	22mm OD, inflatable	50pcs

Contact us for more specifications

## Latex-free Breathing Bag

- ▶ Latex-free material
- ▶ Conforms to ISO5362
- ▶ Automated production system
- ▶ Widely accepted product design



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Latex-free	Stand type	66121050	0.5L	500pcs
		66121100	1L	400pcs
		66121200	2L	300pcs
		66121300	3L	300pcs
	Oval type	66122050	0.5L	500pcs
		66122100	1L	400pcs
		66122200	2L	300pcs
		66122300	3L	300pcs
	Loop tail	66121050C	0.5L	500pcs
		66121100C	1L	400pcs
		66121200C	2L	300pcs
		66121300C	3L	300pcs
	extended tail	66121050B	0.5L	500pcs
		66121100B	1L	400pcs

Contact us for more specifications

## Latex Breathing Bag

- ▶ Latex material
- ▶ Conforms to ISO5362
- ▶ Automated production system
- ▶ Widely accepted product design



SPECIFICATION	MODEL	CODE NUMBER	DESCRIPTION	Packing (carton)
Latex	Stand type	66120050	0.5L	500pcs
		66120100	1L	400pcs
		66120200	2L	300pcs
		66120300	3L	300pcs
	Oval type	66123050	0.5L	500pcs
		66123100	1L	400pcs
		66123200	2L	300pcs
		66123300	3L	300pcs
	Loop tail	66123050C	0.5L	500pcs
		66123100C	1L	400pcs
		66123200C	2L	300pcs
		66123300C	3L	300pcs


Contact us for more specifications



# Breathing Circuit For Anaesthesia

## Coaxial Circuit/Bain's Circuit



- ▶ Low flow anaesthesia in mind
- ▶ Offering warmer
- ▶ More humid inspiratory gases



SPECIFICATION	MODEL	LENGTH	DESCRIPTION	Packing (carton)
Disposable Coaxial Circuits	Standard	1.5m/1,8m	Bain's circuit,w/ wo breathing bag	30pcs
	With limb	1.5m/1,8m	Bain's circuit with 0.6m limb, w/ wo breathing bag	30pcs
Contact us for more specifications				

## Corrugated Circuit/Standard Circuit

- ▶ Good flexibility, bending resistance
- ▶ Consist of corrugated hoses
- ▶ Swivel elbow with the luer port and cap





Rotatable

SPECIFICATION	MODEL	LENGTH	DESCRIPTION	Packing (carton)
Disposable Corrugated Anesthesia Circuits	Adult	1.0m	Φ22mm,w/ wo breathing bag	25pcs
		1.5m	Φ22mm,w/ wo breathing bag	20pcs
		1.8m	Φ22mm,w/ wo breathing bag	20pcs
	Paediatric	1.0m	Φ19mm,w/ wo breathing bag	30pcs
		1.5m	Φ19mm,w/ wo breathing bag	30pcs

Contact us for more specifications


## Collapsible Circuit/Telescopic Circuit

- ▶ Adjustable length
- ▶ High transparency and odor free
- ▶ Coaxial circuit



SPECIFICATION	MODEL	LENGTH	DESCRIPTION	Packing (carton)
Disposable Collapsible Anesthesia Circuits	Adult	1.8m/2.4m	F22mm ,w/ wo breathing bag	50pcs
	Paediatric	1.5m/1.8m	F19mm ,w/ wo breathing bag	50pcs

## Limb Circuit/CPAP




SPECIFICATION	MODEL	DESCRIPTION
Limb circuit	Corrugated circuit	Corrugated extra limb
	Collapsible circuit	Expandable extra limb
	Smooth Bore circuit	Smooth Bore extra limb

Contact us for more specifications

## Breathing Circuit For Ventilator Standard Circuit

- ▶ High transparency and odor free
- ▶ Good flexibility, bending resistance
- ▶ Standard connector




SPECIFICATION	MODEL	LENGTH	DESCRIPTION	Packing (carton)
Disposable Corrugated Breathing Circuits	One water trap	1,6m	With one water trap breathing circuit and 0.6m limb	20pcs
		1,8m	With one water trap breathing circuit and 0.6m limb	20pcs
	Two water traps	1,6m	With two water traps breathing circuit and 0.6m limb	20pcs
		1,8m	With two water traps breathing circuit and 0.6m limb	20pcs

Contact us for more specifications

## Smooth Circuit

- ▶ Improve flow characteristics
- ▶ Low tubing compliance



SPECIFICATION	MODEL	LENGTH	DESCRIPTION	Packing (carton)
Disposable Smooth Bore Breathing Circuits	One water trap	1,6m	With one water trap breathing circuit and 0.6m limb	20pcs
		1,8m	With one water trap breathing circuit and 0.6m limb	20pcs
	Two water traps	1,6m	With two water traps breathing circuit and 0.6m limb	20pcs
		1,8m	With two water traps breathing circuit and 0.6m limb	20pcs

Contact us for more specifications



# Accessories

